

	FG/FWF-30E Series	FG/FWF-50E Series	FG/FWF-60E Series	FG-80D	FG-80E Series	FG-90E Series	FG/FWF-92D Series	FG-100D Series	FG-100E Series	FG-200E Series	FG-300D	FG-300E Series	FG-400D	FG-400E Series	FG-500D
Systems															
VDOM Support	• (5 max)	• (5 max)	•	•	•	•	•	•	•	•	•	•	•	•	•
High Availability (HA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Dedicate CPU for Management Tasks															
FortiDeploy Support	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FortiCarrier License Upgrade															
Networking															
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Jumbo Frame Support															
VLAN	• (20 max)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
VLAN Switch Mode								140D/-POE	140E/-POE						
Hardware Switch	•	•	•		•	•	•	•	•	•					
ACL Offload to Switch								•	•						
WAN Optimization, Web Caching		51/52E: Disk Option Toggle	61E: Disk Option Toggle	Disk Option Toggle	81E: Disk Option Toggle	91E: Disk Option Toggle	Disk Option Toggle	Disk Option Toggle	101E: Disk Option Toggle	201E: Disk Option Toggle	Disk Option Toggle	301E: Disk Option Toggle		401E: Disk Option Toggle	Disk Option Toggle
Security Rating Root			•	•	•	•	•	•	•	•	•	•	•	•	•
Switch Controller	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wireless Controller	•^	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Firewall															
Server Load Balancing	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SSL Offloading			•		•			•	•	•	•	•	•	•	•
SSH Proxy								•	•	•	•	•	•	•	•
UTM															
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB											•	•	•	•	•
IPS Extended DB	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
nTurbo Acceleration			•		•				•		•	•	•	•	•
DoS Protection	CLI	CLI	CLI	CLI	CLI	CLI	CLI	•	CLI	•	•	•	•	•	•
Syn Proxy with NP															
DLP Fingerprinting		51E	61E	•	81E	91E	•	•	101E	201E	•	301E		401E	•
VPN															
L2TP client	CLI	CLI	CLI	CLI	CLI	CLI	CLI		CLI						
ARIA-SEED IPsec support				•			•	•		•	•	•	•	•	•
Log & Reporting															
Disk Logging		51/52E	61E	•	81E	91E	•	• or Nil	101E	201E	•	301E		401E	•
Local Reporting		51/52E	61E	•	81E	91E	•	•	101E	201E	•	301E		401E	•
FortiView Historical Data		51/52E: 1 hour	61E: 1 hour	1 hour	81E: 1 hour	91E: 1 hour	1 hour	24 hours	101E: 24 hours	201E: 24 hours	24 hours	301E: 24 hours		401E: 24 hours	24 hours

^ Doesn't support Mesh
Requires local storage

** Default 24 Hours, extension enabled via CLI
*** Dual disks

	FG-3800D FG-3810D FG-3815D	FG-3960E FG-3980E	FG-5001D	FG-5001E Series	FG-VM00	FG-VM01 to VMUL											
Systems																	
VDOM Support	•	•	•	•		•											
High Availability (HA)	•	•	•	•	•	•											
Dedicate CPU for Management Tasks	•	•	•	•													
FortiDeploy Support					•	•											
FortiCarrier License Upgrade	•	•	•	•	•	•											
Networking																	
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•											
Jumbo Frame Support	•	•	•	•													
VLAN	•	•	•	•	•	•											
VLAN Switch Mode																	
Hardware Switch	FG-3800D																
ACL Offload to Switch	•	•															
WAN Optimization, Web Caching	• ***	• ***	Disk Option Toggle	5001E1:Disk Option Toggle	Disk Option Toggle / •	Disk Option Toggle / •											
Security Rating Root	•	•	•	•	•	•											
Switch Controller	•	•	•	•	•	•											
Wireless Controller	•	•	•	•	•	•											
Firewall																	
Server Load Balancing	•	•	•	•	•	•											
SSL Offloading	•	•	•	•	•	•											
SSH Proxy	•	•	•	•	•	•											
UTM																	
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI											
AV Extreme DB	•	•	•	•	•	•											
IPS Extended DB	•	•	•	•	•	•											
nTurbo Acceleration	•	•	•	•	•	•											
DoS Protection	•	•	•	•	•	•											
Syn Proxy with NP		•	•	•	•	•											
DLP Fingerprinting	•		•	5001E1	•	•											
VPN																	
L2TP client																	
ARIA-SEED IPsec support	•	•	•	•	•	•											
Log & Reporting																	
Disk Logging	•		•	5001E1	•	•											
Local Reporting	•		•	5001E1	•	•											
FortiView Historical Data	7 days **		7 days **	5001E1: 7 days **	24 hours	24 hours											